ELSEVIER

Brain Research 759 (1997) 330–332

BRAIN RESEARCH

Author Index

Abe, K., see Suzuki, H. (759) 321
Albers, H.E., see Gillespie, C.F. (759) 181
Ali, S.F., see Freyaldenhoven, T.E. (759) 9
Anwar, M., see Ruggiero, D.A. (759) 301
Asanuma, M., see Yamamoto, M. (759) 153

Bailey, S.B., see Tantuwaya, V.S. (759) 58
Bair, L., see Reilly, J.F. (759) 277
Barati, S., see Lindefors, N. (759) 205
Barbazanges, A., see Koehl, M. (759) 317
Beattie, M.S., see Holmes, G.M. (759) 197
Behrens, M.I., see McDonald, J.W. (759) 228
Benveniste, H., see Shiraishi, M. (759) 221
Bermúdez-Rattoni, F., see Miranda, M.I. (759) 141
Beyaert, C.A., Hill, J.M. and Kaufman, M.P.
Substance P analogues potentiate the pressor response to microinjection of L-glutamate into laminas I and II of the cat dorsal horn (759) 175
Bhattacharyya, T., see McDonald, J.W. (759) 228
Bowyer, J.F., see Schmued, L.C. (759) 135
Bresnahan, J.C., see Holmes, G.M. (759) 197
Busto, R., see Stagliano, N.E. (759) 32

Choi, D.W., see McDonald, J.W. (759) 228
Chung, C., see McDonald, J.W. (759) 228
Colburn, R.W., see DeLeo, J.A. (759) 50
Conrad, C.D., Lupien, S.J., Thanasoulis, L.C. and McEwen, B.S.
The effects of Type I and Type II corticosteroid receptor agonists on exploratory behavior and spatial memory in the Y-maze (759) 76
Cristalli, G., see Pinna, A. (759) 41
Croiset, G. and De Wied, D.
Proconvulsive effect of vasopressin; mediation by a putative V_2 receptor subtype in the central nervous system (759) 18

DeLeo, J.A., Colburn, R.W. and Rickman, A.J.
Cytokine and growth factor immunohistochemical spinal profiles in two animal models of mononeuropathy (759) 50
Détári, L., Rasmusson, D.D. and Semba, K.
Phasic relationship between the activity of basal forebrain neurons and cortical EEG in urethane-anesthetized rat (759) 112
De Wied, D., see Croiset, G. (759) 18
Dietrich, W.D., see Stagliano, N.E. (759) 32
Dlugos, C.A., see Helsley, S. (759) 306
Dringen, R. and Hamprecht, B.
Involvement of glutathione peroxidase and catalase in the disposal of exogenous hydrogen peroxide by cultured astroglial cells (759) 67

Eblen-Zajjur, A., see Vanegas, H. (759) 171

Frasier, I., see Ruggiero, D.A. (759) 301
Freyaldenhoven, T.E., Ali, S.F. and Schmued, L.C.
Systemic administration of MPTP induces thalamic neuronal degeneration in mice (759) 9
Fujimura, M., Tominaga, T., Kato, I., Takasawa, S., Kawase, M., Taniguchi, T., Okamoto, H. and Yoshimoto, T.
Attenuation of nitric oxide synthase induction in IRF-1-deficient glial cells (759) 247
Fujiwara, Y., see Hamamura, T. (759) 156

Gidday, J.M., see Halle, J.N. (759) 309
Gillespie, C.F., Mintz, E.M., Marvel, C.L., Huhman, K.L. and Albers, H.E.
$GABA_A$ and $GABA_B$ agonists and antagonists alter the phase-shifting effects of light when microinjected into the suprachiasmatic region (759) 181
Gillin, J.C., see Seifritz, E. (759) 84
Gilmore, S.A., see Kane, C.J.M. (759) 163
Gootman, N., see Ruggiero, D.A. (759) 301
Gootman, P.M., see Ruggiero, D.A. (759) 301
Green, E.J., see Stagliano, N.E. (759) 32
Gutmann, D.H., see Xu, H.-m. (759) 149

Hájek, I., see Vondrašová, D. (759) 166
Halle, J.N., Kasper, C.E., Gidday, J.M. and Koos, B.J.
Enhancing adenosine A_1 receptor binding reduces hypoxic-ischemic brain injury in newborn rats (759) 309
Hamamura, T., Lee, Y., Fujiwara, Y. and Kuroda, S.
Serotonin$_{1A}$ receptor agonists induce Fos protein expression in the locus coeruleus of the conscious rat (759) 156
Hamprecht, B., see Dringen, R. (759) 67
Helsley, S., Dlugos, C.A., Pentney, R.J., Rabin, R.A. and Winter, J.C.
Effects of chronic ibogaine treatment on cerebellar Purkinje cells in the rat (759) 306
Hennings, E.C.P., Kiss, J.P. and Vizi, E.S.
Nicotinic acetylcholine receptor antagonist effect of fluoxetine in rat hippocampal slices (759) 292
Hermann, G.E., see Holmes, G.M. (759) 197
Hildebrand, B., Olenik, C., Uhl, A. and Meyer, D.K.
Expression of the proenkephalin gene in cultured astroglial cells: analysis of cell cycle dependence (759) 285
Hill, J.M., see Beyaert, C.A. (759) 175
Holmes, G.M., Martau, J.M., Hermann, G.E., Rogers, R.C., Bresnahan, J.C. and Beattie, M.S.
Nucleus raphe obscurus (nRO) regulation of anorectal motility in rats (759) 197
Horvitz, J.C., Stewart, T. and Jacobs, B.L.
Burst activity of ventral tegmental dopamine neurons is elicited by sensory stimuli in the awake cat (759) 251
Huhman, K.L., see Gillespie, C.F. (759) 181
Hüttemeier, P.C., see Shiraishi, M. (759) 221

Illnerová, H., see Vondrašová, D. (759) 166
Itoyama, Y., see Suzuki, H. (759) 321
Itoyama, Y., see Yamasaki, Y. (759) 103

Jacobs, B.L., see Horvitz, J.C. (759) 251
Johansson, S., see Karlsson, U. (759) 270
Jope, R.S., see Li, X. (759) 213

Kamiyama, Y., see Shiraishi, M. (759) 221
Kane, C.J.M., Sims, T.J. and Gilmore, S.A.
Astrocytes in the aged rat spinal cord fail to increase GFAP mRNA following sciatic nerve axotomy (759) 163
Kane, E.R., see Zagon, I.S. (759) 92
Kanthasamy, A., see Kanthasamy, A.G. (759) 1
Kanthasamy, A.G., Kanthasamy, A., Matsumoto, R.R., Vu, T.Q. and Truong, D.D.
Neuroprotective effects of the strychnine-insensitive glycine site NMDA antagonist (*R*)-HA-966 in an experimental model of Parkinson's disease (759) 1
Karlsson, U., Sundgren, A.K., Nässtrom, J. and Johansson, S.
Glutamate-evoked currents in acutely dissociated neurons from the rat medial preoptic nucleus (759) 270
Kasper, C.E., see Halle, J.N. (759) 309
Kato, I., see Fujimura, M. (759) 247
Katsumoto, T., see Kitamura, Y. (759) 295
Kaufman, M.P., see Beyaert, C.A. (759) 175
Kawase, M., see Fujimura, M. (759) 247
Kimura, K., see Suzuki, H. (759) 321
Kiss, J.P., see Hennings, E.C.P. (759) 292
Kitamura, Y., Michikawa, M., Tanigawa, T., Katsumoto, T., Morita, T., Nanba, E., Ohama, E. and Terada, T.
Establishment and characteristics of a practical and useful astrocyte cell line transformed by a temperature-sensitive mutant of simian virus 40 (759) 295

Koehl, M., Barbazanges, A., Le Moal, M. and Maccari, S.
Prenatal stress induces a phase advance of circadian corticosterone rhythm in adult rats which is prevented by postnatal stress (759) 317
Kogure, K., see Yamasaki, Y. (759) 103
Kondo, I., see Yamamoto, M. (759) 153
Koos, B.J., see Halle, J.N. (759) 309
Koshino, Y., see Wada, Y. (759) 313
Kumari, V., see Reilly, J.F. (759) 277
Kuroda, S., see Hamamura, T. (759) 156

Lee, Y., see Hamamura, T. (759) 156
Le Moal, M., see Koehl, M. (759) 317
Li, X. and Jope, R.S.
Glucocorticoids modulate G-protein α-subunit levels in PC12 cells (759) 213
Lindefors, N., Barati, S. and O'Connor, W.T.
Differential effects of single and repeated ketamine administration on dopamine, serotonin and GABA transmission in rat medial prefrontal cortex (759) 205
López-Colomé, A.M., see Miranda, M.I. (759) 141
Lupien, S.J., see Conrad, C.D. (759) 76

Maccari, S., see Koehl, M. (759) 317
Martau, J.M., see Holmes, G.M. (759) 197
Marvel, C.L., see Gillespie, C.F. (759) 181
Masuyama, T. and Shimizu, T.
Antinociceptive involvement of substance P in the spinal cord of mice: dose effects of substance P on the behavior elicited by intrathecally administered NMDA (759) 241
Matsumoto, R.R., see Kanthasamy, A.G. (759) 1
Matsuo, Y., see Yamasaki, Y. (759) 103
Matsuura, N., see Yamasaki, Y. (759) 103
Matta, S.G., Valentine, J.D. and Sharp, B.M.
Nicotine activates NPY and catecholaminergic neurons in brainstem regions involved in ACTH secretion (759) 259
McDonald, J.W., Behrens, M.I., Chung, C., Bhattacharyya, T. and Choi, D.W.
Susceptibility to apoptosis is enhanced in immature cortical neurons (759) 228
McEwen, B.S., see Conrad, C.D. (759) 76
McLaughlin, P.J., see Zagon, I.S. (759) 92
Meyer, D.K., see Hildebrand, B. (759) 285
Michikawa, M., see Kitamura, Y. (759) 295
Mintz, E.M., see Gillespie, C.F. (759) 181
Miranda, M.I., López-Colomé, A.M. and Bermúdez-Rattoni, F.
Recovery of taste aversion learning induced by fetal neocortex grafts: correlation with in vivo extracellular acetylcholine (759) 141
Mizugaki, M., see Suzuki, H. (759) 321
Mizuno, Y., see Yamamoto, M. (759) 153
Morelli, M., see Pinna, A. (759) 41
Morita, T., see Kitamura, Y. (759) 295
Morooka, S., see Suzuki, H. (759) 321

Nakamura, M., see Wada, Y. (759) 313
Nanba, E., see Kitamura, Y. (759) 295
Näsström, J., see Karlsson, U. (759) 270

O'Connor, W.T., see Lindefors, N. (759) 205
Ogawa, N., see Yamamoto, M. (759) 153
O'Halloran, K.D. and Perl, E.R.
Effects of partial nerve injury on the responses of C-fiber polymodal nociceptors to adrenergic agonists (759) 233
Ohama, E., see Kitamura, Y. (759) 295
Okamoto, H., see Fujimura, M. (759) 247
Olenik, C., see Hildebrand, B. (759) 285
Olschowka, J.A., see Wang, C.X. (759) 190
Onodera, H., see Yamasaki, Y. (759) 103

Pedemonte, M., Torterolo, P. and Velluti, R.A.
In vivo intracellular characteristics of inferior colliculus neurons in guinea pigs (759) 24
Pentney, R.J., see Helsley, S. (759) 306
Perl, E.R., see O'Halloran, K.D. (759) 233
Pinna, A., Wardas, J., Cristalli, G. and Morelli, M.
Adenosine A_{2A} receptor agonists increase Fos-like immunoreactivity in mesolimbic areas (759) 41
Prado, R., see Stagliano, N.E. (759) 32

Rabin, R.A., see Helsley, S. (759) 306
Rasmusson, D.D., see Détári, L. (759) 112
Reilly, J.F., Bair, L. and Kumari, V.
Heparan sulfate modifies the effects of basic fibroblast growth factor on glial reactivity (759) 277
Rich, K.M., see Tantuwaya, V.S. (759) 58
Rickman, A.J., see DeLeo, J.A. (759) 50
Rogers, R.C., see Holmes, G.M. (759) 197
Ruggiero, D.A., Sica, A.L., Anwar, M., Frasier, I., Gootman, N. and Gootman, P.M.
Induction of c-*fos* gene expression by spinal cord transection in *Sus scrofa* (759) 301

Sassani, J.W., see Zagon, I.S. (759) 92
Schmidt, R.E., see Tantuwaya, V.S. (759) 58
Schmued, L.C. and Bowyer, J.F.
Methamphetamine exposure can produce neuronal degeneration in mouse hippocampal remnants (759) 135
Schmued, L.C., see Freyaldenhoven, T.E. (759) 9
Seifritz, E., Stahl, S.M. and Gillin, J.C.
Human sleep EEG following the 5-HT_{1A} antagonist pindolol: possible disinhibition of raphe neuron activity (759) 84
Semba, K., see Détári, L. (759) 112
Sharp, B.M., see Matta, S.G. (759) 259
Shimizu, T., see Masuyama, T. (759) 241
Shiraishi, J., see Wada, Y. (759) 313
Shiraishi, M., Kamiyama, Y., Hüttemeier, P.C. and Benveniste, H.
Extracellular glutamate and dopamine measured by microdialysis in the rat striatum during blockade of synaptic transmission in anesthetized and awake rats (759) 221
Sica, A.L., see Ruggiero, D.A. (759) 301
Sims, T.J., see Kane, C.J.M. (759) 163
Stagliano, N.E., Dietrich, W.D., Prado, R., Green, E.J. and Busto, R.
The role of nitric oxide in the pathophysiology of thromboembolic stroke in the rat (759) 32
Stahl, S.M., see Seifritz, E. (759) 84
Stewart, T., see Horvitz, J.C. (759) 251
Sundgren, A.K., see Karlsson, U. (759) 270
Suzuki, H., Abe, K., Tojo, S., Morooka, S., Kimura, K., Mizugaki, M. and Itoyama, Y.
Expressions of P-selectin- and HSP72-like immunoreactivities in rat brain after transient middle cerebral artery occlusion (759) 321

Takasawa, S., see Fujimura, M. (759) 247
Tanigawa, T., see Kitamura, Y. (759) 295
Taniguchi, T., see Fujimura, M. (759) 247
Tantuwaya, V.S., Bailey, S.B., Schmidt, R.E., Villadiego, A., Tong, J.X. and Rich, K.M.
Peripheral nerve regeneration through silicone chambers in streptozocin-induced diabetic rats (759) 58
Terada, T., see Kitamura, Y. (759) 295
Thanasoulis, L.C., see Conrad, C.D. (759) 76
Tojo, S., see Suzuki, H. (759) 321
Tominaga, T., see Fujimura, M. (759) 247
Tong, J.X., see Tantuwaya, V.S. (759) 58
Torterolo, P., see Pedemonte, M. (759) 24
Tortorici, V., see Vanegas, H. (759) 171
Truong, D.D., see Kanthasamy, A.G. (759) 1

Uhl, A., see Hildebrand, B. (759) 285

Valentine, J.D., see Matta, S.G. (759) 259
Vanegas, H., Tortorici, V., Eblen-Zajjur, A. and Vásquez, E.
PAG-microinjected dipyrone (metamizol) inhibits responses of spinal dorsal horn neurons to natural noxious stimulation in rats (759) 171
Vásquez, E., see Vanegas, H. (759) 171
Velluti, R.A., see Pedemonte, M. (759) 24
Villadiego, A., see Tantuwaya, V.S. (759) 58
Vizi, E.S., see Hennings, E.C.P. (759) 292
Vondrašová, D., Hájek, I. and Illnerová, H.
Exposure to long summer days affects the human melatonin and cortisol rhythms (759) 166
Vu, T.Q., see Kanthasamy, A.G. (759) 1

Wada, Y., Shiraishi, J., Nakamura, M. and Koshino, Y.
Effects of the 5-HT_3 receptor agonist 1-(*m*-chlorophenyl)-biguanide in the rat kindling model of epilepsy (759) 313
Wang, C.X., Olschowka, J.A. and Wrathall, J.R.
Increase of interleukin-1β mRNA and protein in the spinal cord following experimental traumatic injury in the rat (759) 190
Wardas, J., see Pinna, A. (759) 41
Wild, J.M.
The avian somatosensory system: The pathway from wing to Wulst in a passerine (*Chloris chloris*) (759) 122
Winter, J.C., see Helsley, S. (759) 306
Wrathall, J.R., see Wang, C.X. (759) 190

Xu, H.-m. and Gutmann, D.H.
Mutations in the GAP-related domain impair the ability of neurofibromin to associate with microtubules (759) 149

Yamamoto, M., Kondo, I., Ogawa, N., Asanuma, M., Yamashita, Y. and Mizuno, Y.
Genetic association between susceptibility to Parkinson's disease and α_1-antichymotrypsin polymorphism (759) 153

Yamasaki, Y., Matsuo, Y., Zagorski, J., Matsuura, N., Onodera, H., Itoyama, Y. and Kogure, K.
New therapeutic possibility of blocking cytokine-induced neutrophil chemoattractant on transient ischemic brain damage in rats (759) 103

Yamashita, Y., see Yamamoto, M. (759) 153

Yang, X.-L., see Zhang, D.-Q. (759) 160

Yoshimoto, T., see Fujimura, M. (759) 247

Zagon, I.S., Sassani, J.W., Kane, E.R. and McLaughlin, P.J.
Homeostasis of ocular surface epithelium in the rat is regulated by opioid growth factor (759) 92

Zagorski, J., see Yamasaki, Y. (759) 103

Zhang, D.-Q. and Yang, X.-L.
OFF pathway is preferentially suppressed by the activation of $GABA_A$ receptors in carp retina (759) 160

(contents continued)

Prenatal stress induces a phase advance of circadian corticosterone rhythm in adult rats which is prevented by postnatal stress
M. Koehl, A. Barbazanges, M. Le Moal and S. Maccari (France) 317

Expressions of P-selectin- and HSP72-like immunoreactivities in rat brain after transient middle cerebral artery occlusion
H. Suzuki, K. Abe, S. Tojo, S. Morooka, K. Kimura, M. Mizugaki and Y. Itoyama (Japan) 321

Author Index 330